



800 W TYPE DETAILED SPECIFICATION

TYPE

Heavy Lift Multi Purpose Dry Cargo Vessel strengthened for heavy cargoes, equipped for the carriage of containers Geared, tween-decker fully variable in four positions / singledecker, equipped with stability pontoon

IMO Classes

In Hold Hold 1 : Classes 1-6, 8, 9 ;
Hold 2 : 2-6, 8, 9

On Deck Hold 1 : Classes 1-6, 8, 9 ;
Hold 2 : 2-6, 8, 9

Class 7 generally prohibited without prior specific exception



Dimensions

LOA 166 m/ LBP 156 m
Breadth mld 22.90 m
Draft 9.50 m ssw
Depth Mld 13.90 m
Air Draft Abt. 45.62 m
(36.12 m * 9.50 m draft)
Tonnage Deadweight excl. tdw
Abt 19.100 tdw
GT 15.312 / NT 5.734

Capacity

Total cbm abt. 23.600 cbm (excl. tdw)
or abt. 833.427 cbft
Hatch Cover abt. 1.937 sqm
Tween Deck abt. 1.811 sqm +
6 extra panels
Lower Hold Abt. 1.768 sqm
Total Abt. 5.534 sqm +
6 extra panels


Cargo Handling Gear

Three Cranes
Crane #1 1 x 120 mts
Crane #2 & #3 2 x 400 mts
Cranes NMF

Main Engine Data


Marker & Type MAN 7L 58/64 9.800kW
Speed & Consumption HFO abt 18kn on abt.34 mts

chartering@unitedheavylift.de





HOLD HEIGHTS



CRANE OUTREACHES

